

SECTION 1. IDENTIFICATION

Product Identifier

Product name: Wasp & Hornet Spray **Product code(s):** WASP 0248-9319

Other means of identification: Not available.

Product Type: Aerosol.

Relevant identified uses of the substance or mixture and uses advised against: Not applicable.

Details of the supplier and of the safety data sheet Manufacturer: Sprayon Products Cleveland, OH 44115

Distributor: F4P, 11675 SW Tom Mackie Blvd, Port St. Lucie, FL 34987

Emergency telephone number: CHEMTREC 1-800-424-9300 Poison Control telephone number: 1-800-222-1222

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA/HCS status: This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Classification of the FLAMMABLE AEROSOLS - Category 1 substance or mixture: CASES LINDER PRESSURE - Compress

GASES UNDER PRESSURE - Compressed gas

SKIN SENSITIZATION - Category 1

SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation and Narcotic

effects) - Category 3

SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 94%

Label elements
Hazard Symbol(s)









Signal Word: Danger

Hazard Statement(s) Extremely flammable aerosol.

Contains gas under pressure; may explode if heated.

May cause an allergic skin reaction.

May cause respiratory irritation.

May cause drowsiness and dizziness.

May cause damage to organs through prolonged or repeated exposure.



VASP & HORNET KILLER

Prevention Wear protective gloves. Keep away from heat, hot surfaces, sparks, open flames and

> other ignition sources. No smoking. Pressurized container: Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source. Use only outdoors or in a well-ventilated area. Do not breathe dust or mist. Contaminated work clothing should not be allowed out of the

workplace.

Response Get medical attention if you feel unwell. IF INHALED: Remove victim to fresh air and

> keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical attention.

Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 Storage

°C/122 °F. Store in a well-ventilated place.

Disposal Dispose of contents and container in accordance with all local, regional, national and

international regulations.

Supplemental label

elements

DELAYED EFFECTS FROM LONG TERM OVEREXPOSURE. Contains solvents which can cause

permanent brain and nervous system damage. Intentional misuse by deliberately concentrating

and inhaling the contents can be harmful or fatal. FOR INDUSTRIAL USE ONLY.

Hazards not otherwise

classified

None known

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances Mixture.

Other means of identification

Not available.

CAS number/other identifiers

Ingredient	% by Weight	CAS Number
Aliphatic Solvent	91.5	64742-47-8
2-Propanol	5.0	67-63-0
Permethrin	0.3	52645-53-1

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.



SECTION 4. FIRST AID MEASURES

Description of necessary first aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected

that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open

airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Eye contact Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check

for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention

following exposure or if feeling unwell.

Skin contact Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated

clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure.

Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest

in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain

an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms and effects, both acute and delayed Potential health symptoms and effects

Eye contact No known significant effects or critical hazards.

Skin contact May cause an allergic skin reaction.

Inhalation Can cause central nervous system (CNS) depression. May cause drowsiness and dizziness. May

cause respiratory irritation.

Ingestion No specific data.



Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been

ingested or inhaled.

Specific treatments No specific treatment.

Protection of first-aiders

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11).

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing

media

Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

None known.

Specific hazards arising from the chemical

Extremely flammable aerosol. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed. Runoff to sewer may create fire or explosion hazard.

Hazardous thermal decomposition

Decomposition products may include the following materials:

decompositioncarbon dioxideproductscarbon monoxide

Special protective actions for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus

(SCBA) with a full face-piece operated in positive pressure mode.

Revision Date: December 27, 2017



SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. In the case of aerosols being ruptured, care should be taken due to the rapid escape of the pressurized contents and propellant. If a large number of containers are ruptured, treat as a bulk material spillage according to the instructions in the clean-up section. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel."

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

F4P 11675 SW TOM MACKIE, PORT ST LUCIE, FLORIDA 34987 • TEL: (772) 408-5211



SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid breathing gas. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Protect from sunlight. Store locked up. Eliminate all ignition sources. Use appropriate containment to avoid environmental contamination.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational exposure limits (OSHA United States)

Ingredient Name	Exposure Limits	
	ACGIH TLV (United States, 4/2014).	
Aliphatic Solvent	Absorbed through skin.	
	TWA: 200 mg/m³, (as total hydrocarbon vapor) 8 hours.	
	ACGIH TLV (United States, 4/2014).	
	TWA: 200 ppm 8 hours.	
	STEL: 400 ppm 15 minutes.	
	NIOSH REL (United States, 10/2013).	
	TWA: 400 ppm 10 hours.	
2-Propanol	TWA: 980 mg/m³ 10 hours.	
	STEL: 500 ppm 15 minutes.	
	STEL: 1225 mg/m³ 15 minutes.	
	OSHA PEL (United States, 2/2013).	
	TWA: 400 ppm 8 hours.	
	TWA: 980 mg/m³ 8 hours.	

F4P 11675 SW TOM MACKIE, PORT ST LUCIE, FLORIDA 34987 • TEL: (772) 408-5211



Appropriate engineering controls

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields.

Skin Protection Hand Protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear antistatic protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory Protection Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Revision Date: December 27, 2017



SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Color Not available.

Odor Not available.
Odor threshold Not available.

pH Not available.

Melting/Freezing Point Not available.

Initial Boiling Point Not available.

Evaporation Rate 1.44 (butyl acetate = 1)

Flash Point Closed cup: 12°C (53.6°F)
[Pensky-Martens Closed Cup]

Auto-ignition Not available.

temperature:

Decomposition Not available.

temperature:

Lower and upper Lower: 0.7%

explosive (flammable) limits (LEL) Upper: 12.7%

Aerosol product

Type of aerosol Spray

Heat of combustion 0.00003944 kJ/g

Vapor pressure 13.5 kPa (101.325 mm Hg)

[at 20°C]

Vapor density 2.07 [Air = 1]

Relative density 0.79

Solubility in Water Not available.

Flammability Not available.

(solid, gas)

Partition Not available.

coefficient: noctanol/ water

Viscosity Kinematic (room temperature):

<0.205 cm2/s (<20.5 cSt)

Kinematic $(40^{\circ}C (104^{\circ}F)): < 0.205$

cm2/s (<20.5 cSt)



SECTION 10. STABILITY AND REACTIVITY

Reactivity No specific test data related to reactivity available for this product or its ingredients.

Chemical The product is stable.

stability

Possibility of Under normal conditions of storage and use, hazardous reactions will not occur.

hazardous reactions

Conditions to Avoid all possible sources of ignition (spark or flame).

avoid

Incompatible No specific data.

materials

Hazardous Under normal conditions of storage and use, hazardous decomposition products should not be produced.

decomposition

products

SECTION II. TOXICOLOGICAL INFORMATION

Information on toxicological effects Acute toxicity

Product/Ingredient Name	Result	Species	Dose	Exposure
2-Propanol	LD50 Dermal LD50 Oral	Rabbit Rat	12800 mg/kg 5000 mg/kg	-
Permethrin	LD50 Dermal LD50 Oral	Rat Rat	1750 mg/kg 383 mg/kg	-

Irritation/Corrosion

Product/Ingredient Name	Result	Species	Score	Dose	Exposure
	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
2-Propanol	Eyes - Moderate irritant Eyes - Severe irritant	Rabbit Rabbit	- -	10 milligrams 100 milligrams	-
	Skin - Mild irritant	Rabbit	-	500 milligrams	-
Permethrin	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

F4P 11675 SW TOM MACKIE, PORT ST LUCIE, FLORIDA 34987 • TEL: (772) 408-5211



SensitizationNot available.MutagenicityNot available.CarcinogenicityNot available.

Classification

Product/Ingredient Name	OSHA	IARC	NTP
2-Propanol	-	3	-
Permethrin	-	3	-

Reproductive

Not available.

toxicity

Teratogenicity Not available.

Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
Aliphatic Solvent	Category 3	Not applicable.	Respiratory tract irritation and Narcotic effects
Permethrin	Category 3	Not applicable.	Respiratory tract irritation and Narcotic effects

Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
Aliphatic Solvent	Category 2	Not determined.	Not determined.
Permethrin	Category 2	Not determined.	Not determined.

Aspiration hazard

Not available.

Information on the

Not available.

likely routes of

exposure

Potential acute health effects

Eye contact No known significant effects or critical hazards.

Inhalation Can cause central nervous system (CNS) depression. May cause drowsiness and dizziness. May

cause respiratory irritation.

Skin contact May cause an allergic skin reaction.

Ingestion Can cause central nervous system (CNS) depression.

F4P 11675 SW TOM MACKIE, PORT ST LUCIE, FLORIDA 34987 • TEL: (772) 408-5211



Symptoms related to the physical, chemical and toxicological characteristics

Eye contact Adverse symptoms may include the following: irritation, redness

Inhalation Adverse symptoms may include the following: respiratory tract irritation, coughing, nausea or

vomiting, headache, drowsiness/fatigue, dizziness/vertigo, unconsciousness

Skin contact Adverse symptoms may include the following: irritation, redness

Ingestion No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate

Not available.

effects

Potential delayed

effects

Not available.

Long term exposure

Potential immediate

effects

Not available.

Potential delayed

effects

Not available.

Potential chronic

health effects

Not available.

General May cause damage to organs through prolonged or repeated exposure. Once sensitized, a severe

allergic reaction may occur when subsequently exposed to very low levels.

CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.TeratogenicityNo known significant effects or critical hazards.DevelopmentalNo known significant effects or critical hazards.

effects

Fertility effects No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	6000 mg/kg

Revision Date: December 27, 2017



SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Product/ingredient name	Result	Species	Exposure
Aliphatic Solvent	Acute LC50 2200 μ g/I Fresh water	Fish - Lepomis macrochirus	4 days
2-Propanol	Acute LC50 1400000 μ g/l Marine water Acute LC50 4200 mg/l Fresh water	Crustaceans - Crangon crangon Fish - Rasbora heteromorpha	48 hours 96 hours
Permethrin	Acute EC50 68 μg/l Marine water Acute EC50 0.11 μg/l Fresh water	Algae - Skeletonema costatum - Exponential growth phase	96 hours
	Acute EC50 0.112 ppb Fresh water Acute LC50 0.62 μ g/l Fresh water Chronic NOEC 0.66 μ g/l Fresh water	Crustaceans - Orconectes immunis Daphnia - Daphnia magna Fish - Oncorhynchus mykiss Fish - Pimephales promelas - Embryo	48 hours 96 hours 32 days

Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
2-Propanol	-	-	Readily

Bioaccumulation

potential

Mobility in soil

Soil/water partition

Not available.

Not available.

coefficient (KOC)

Other adverse effects No known significant effects or critical hazards.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

F4P 11675 SW TOM MACKIE, PORT ST LUCIE, FLORIDA 34987 • TEL: (772) 408-5211



SECTION 14. TRANSPORT INFORMATION

	DOT Classification	TDG Classification	Mexico Classification	IATA	IMDG
UN number	UN1950	UN1950	UN1950	UN1950	UN1950
UN proper shipping name	AEROSOLS	AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS
Transport hazard class(es)	PLANMABLE CAS	2.1	2.1	2.1	2.1
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.
Additional information	Special provisions LIMITED QUANTITY	Special provisions LIMITED QUANTITY	Special provisions (ERG#126)	Special provisions LIMITED QUANTITY	Emergency schedules (EmS) LIMITED QUANTITY, F-D, S-U

Special precautions for user

Multi-modal shipping descriptions are provided for informational purposes and do not consider container sizes. The presence of a shipping description for a particular mode of transport (sea, air, etc.), does not indicate that the product is packaged suitably for that mode of transport. All packaging must be reviewed for suitability prior to shipment, and compliance with the applicable regulations is the sole responsibility of the person offering the product for transport. People loading and unloading dangerous goods must be trained on all of the risks deriving from the substances and on all actions in case of emergency situations.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not available.



SECTION 15. REGULATORY INFORMATION

U.S. Federal regulations

State regulations FIFRA Hazard Label Information This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals.

SECTION 16. OTHER INFORMATION

Hazardous Material Information System HMIS



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

Notice to reader

It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is provided in good faith and believed to be accurate as of the effective date herein. However, no warranty, express or implied, is given. The information presented here applies only to the product as shipped. The addition of any material can change the composition, hazards and risks of the product. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. The customer/buyer/ user is responsible to ensure that his activities comply with all country, federal, state, provincial or local laws. The conditions for use of the product are not under the control of the manufacturer; the customer/buyer/user is responsible to determine the conditions necessary for the safe use of this product. The customer/buyer/user should not use the product for any purpose other than the purpose shown in the applicable section of this SDS without first referring to the supplier and obtaining written handling instructions. Due to the proliferation of sources for information such as manufacturer-specific SDS, the manufacturer cannot be responsible for SDSs obtained from any other source.

F4P 11675 SW TOM MACKIE, PORT ST LUCIE, FLORIDA 34987 • TEL: (772) 408-5211